

SUPERCRANE™ 295



- Rubber Tracks
- Super Slim Body Width (600mm)

- 2.93t
- 8.65m Boom
- Max. Hook Height: 8.8 m

- Load Moment Indicator System
- Remote Control (Optional)

The Preston Hire SuperCrane™ 295 is narrow enough to allow access through a standard size single doorway, with 2.93t of lifting power.

Stability sensor system provides the benefit of turnover protection for safety. Its outriggers allow for independent multi-angle configurations to place at the best position in restricted or confined area. Easy and quickly installed searcher hook and fly jib options will increase working radius and lifting height further more. Consider the possibilities...



COUNT ON US

0800 440 558 | prestonhire.co.nz

SPECIFICATIONS SUPERCRANE™

295

DIMENSIONS

Length	2730mm
Width	600mm
Height (with electric power unit)	1430mm
Weight	2040kg

CAPACITY


Max. capacity	Max. 2.93t at 1.4m
Max. working radius (main boom)	130kg at 8.41m
Max. working radius (fly jib)	N/A
Max. lifting height (main boom)	8.65m
Max. lifting height (fly jib)	N/A

TRACK



Width	180mm
-------	-------

MIN. T RANSPORT WIDTH

Overall Track	600mm
Overall Unit	600mm



WORKING RANGE



COUNT ON US

0800 440 558 | prestonhire.co.nz

LOAD CHART SUPERCRANE™

295

LOAD CHART

SECOND STAGE EXTENDED

2.53 - 4.075M BOOM LENGTH

Working radius Outrigger (m)	up to 1.0	1.4	1.5	1.8	2.0	2.5	3.0	3.5	3.835
Max-extended (kg)	2900	2900	2650	2250	2050	1650	1300	1000	900
Min-extended (kg)	2000	2000	2000	1450	1100	650	490	350	250

THIRD STAGE EXTENDED

4.075 - 5.61M BOOM LENGTH

Working radius Outrigger (m)	up to 2.2	2.5	2.9	3.0	3.5	4.0	4.5	5.0	5.37
Max-extended (kg)	1350	1350	1350	1250	1000	800	650	520	430
Min-extended (kg)	800	650	530	500	380	280	220	160	120

FOURTH STAGE EXTENDED

5.61 - 7.13M BOOM LENGTH

Working radius Outrigger (m)	up to 3.4	3.8	4.0	4.5	5.0	5.5	6.0	6.5	6.89
Max-extended (kg)	850	850	750	600	500	420	360	320	270
Min-extended (kg)	420	340	300	250	190	140	100	80	60

FIFTH STAGE EXTENDED

7.13 - 8.65M BOOM LENGTH

Working radius Outrigger (m)	up to 3.8	4.1	4.5	5.0	5.5	6.0	6.5	7.0	8.0	8.41
Max-extended (kg)	550	550	450	370	310	270	230	200	150	130
Min-extended (kg)	350	290	250	200	160	130	100	70	40	30

The total rated load charts are based on the actual working radius including boom deflection.

Disclaimer : All information provided in this publication is correct at time of printing. Please contact Preston Hire for any updated versions.



COUNT ON US

0800 440 558 | prestonhire.co.nz

SUPERCRANE™

Preston Hire's crane hire fleet consists of state-of-the-art mini crawler cranes from renowned manufacturer UNIC. Currently in 3 models with new models soon to arrive - available wet or dry, as needed and with operator training if required. Preston Hire is always equipped with mini cranes and larger cranes to meet your specific needs.

SUPERELEVATE™

A wide range of scissor lifts and Elevated Work Platforms, with a variety of vertical working heights and outreach. Perfect match for your work type and context, enabling traversing at heights and tackling undulating or rough terrain with safety and ease with versatility.

SUPERDECK®

Designed to simplify the handling of materials, particularly on multi-storey construction sites, this revolutionary Preston Hire innovation offers a 'drawer-like' loading platform system which has dramatically increased safety and reduced crane operation time for customers around the world.

SUPERSITESTORAGE™

Our hire shipping containers offer cost effective and robust storage solutions. Being wind, water and vermin proof these lockable containers provide ideal storage for tools, machinery, sporting equipment, personal belongings and almost anything else. We also have Dangerous Goods storage containers available.

SUPERPROPPING™

Preston Hire offers a wide range of intelligent propping hire solutions for those working in the building and construction industry. Our extensive range of adjustable props are available for hire across New Zealand. Preston Hire ensures we can always deliver quality product and service for all your propping needs.



CONTACT

Preston Hire (NZ) Pty Limited
PO Box 37025, Parnell Auckland 1151 New Zealand
E nzsales@prestonhire.co.nz
T 0800 440 558 - Toll Free
prestonhire.co.nz



COUNT ON US

0800 440 558 | prestonhire.co.nz